

**STARK SLP Vulcanizing Presses** are light duty, durable and complete availability of coverage for all belt widths for PVC and lightweight rubber conveyor belts. These vulcanizers are easy to set-up, operate and maintain.

STARK SLP Vulcanizing Presses are made of high grade aluminum platens and frame to provide maximum tensile and bending strength with minimum weight. All STARK SLP Vulcanizing Presses provide uniform temperature and pressure required to vulcanize a wide array of conveyor belts. We manufacture to all sizes and have a stock of the more traditional sizes used in the industry.

STARK SLP Vulcanizer is a solid aluminum frame style vulcanizing press that allows for quick and easy operation. With end handles. The STARK vulcanizing press is easy to maneuver into the desired splice position.

**Platen:** Utilizes innovative flexible platen constructed from extruded plank, silicone heating element and durable composite insulation. Each platen contours to the belt's irregularities, ensuring uniform results. Maximum temperature 185°C

**Frame:** Two light and rugged aluminum frames comprise upper and lower portions of press. Ends equipped with carrying handles on smaller models.

**Pressure / Cooling:** Pressure bag ensures uniform pressure across splice surface. Quick cooling by channeling water through extruded platen.



## VULCANIZING PRODUCTS



### ELECTRONIC CONTROL BOX SYSTEM WITH ELECTRONIC TEMPERATURE CONTROL SYSTEM

#### STARK SLP Series

**Material:** High Grade Aluminium Frame

**Cooling:** Water Cooled

**Heating:** Electric shielded silicone elements

**Platen Bias:** Rectangular

**Vulcanizing Temperature:** 185°C